

PRISLISTE MOTOGADGET 2020

| Artikel nr. | Beskrivelse | dkr |
|-------------|--|------|
| 204-600 | Bar end indicator m-Blaze CONE, black, left side, for 22 mm and 1inch handle bars, E-mark for front use, piece. | 855 |
| 204-601 | Bar end indicator m-Blaze CONE, black, right side, for 22 mm and 1inch handle bars, E-mark for front use, piece. | 855 |
| 204-602 | LED indicator m-Blaze ICE aluminium polished for front and rear use, E-mark. | 450 |
| 204-603 | LED indicator m-Blaze ICE for front and rear use, E-mark. | 450 |
| 204-604 | Handlebar end indicator m-Blaze DISC, left, black, E-mark. | 900 |
| 204-605 | Handlebar end indicator m-Blaze DISC, right, black, E-mark. | 900 |
| 204-606 | Handlebar end indicator m-Blaze DISC, left, polished, E-mark. | 900 |
| 204-607 | Handlebar end indicator m-Blaze DISC, right, polished, E-mark. | 900 |
| 204-608 | Bar end indicator m-Blaze CONE, polished, left side, for 22 mm and 1inch handle bars, E-mark for front use, piece. | 720 |
| 204-609 | Bar end indicator m-Blaze CONE, polished, right side, for 22 mm and 1inch handle bars, E-mark for front use, piece. | 720 |
| 204-610 | LED indicator m-Blaze PIN, black, E-mark. | 360 |
| 204-611 | LED indicator m-Blaze PIN, polished, E-mark. | 360 |
| 208-007 | Digital flasher relay m-Wave with fade-in/fade-out effect | 315 |
| 208-008 | Digital m-Relay+ for push-buttons | 720 |
| 208-009 | Digital flasher relay m-Flash | 285 |
| 208-013 | m-Relay, compact relay able to operate almost all appliances | 235 |
| 301-662 | mo.view spy, glass-free rearview mirror for handlebar ends 1 inch and 22mm, black, without e-mark. Not for use in traffic! | 930 |
| 301-663 | mo.view blade, glass-free rearview mirror for handlebar ends 1 inch and 22mm, black, without e-mark. Not for use in traffic! | 930 |
| 301-664 | mo.view classic, the glassless mirror with 150mm arm, has an ECE marking. | 1025 |
| 301-665 | mo.view club, the glassless mirror with 150mm arm, has an ECE marking. | 1025 |
| 301-666 | mo.view sport, the glassless mirror with 150mm arm, has an ECE marking. | 1025 |
| 301-667 | mo.view flight, rear view mirror for handlebar ends 1 inch and 22mm, black, has an ECE marking. | 930 |
| 301-668 | mo.view cafe, rear view mirror for handlebar ends 1 inch and 22mm, black, has an ECE marking. | 930 |
| 301-669 | mo.view road, rear view mirror for handlebar ends 1 inch and 22mm, black, has an ECE marking. | 930 |
| 301-672 | mo.view race left, the glassless mirror with 150mm arm | 1025 |
| 301-673 | mo.view race right, the glassless mirror with 150mm arm | 1025 |

| | | |
|---------|--|------|
| 301-700 | | 930 |
| 301-701 | | 930 |
| 301-702 | | 930 |
| 301-703 | mo.view classic xl, the glassless mirror with 180mm arm | 1025 |
| 301-704 | | 1025 |
| 301-705 | mo.view sport xl, the glassless mirror with 180mm arm | 1025 |
| 301-706 | | 1025 |
| 301-707 | | 1025 |
| 315-400 | Aluminium m-Grip, CNC-milled, black anodized, for 22 mm (7/8 inch) and 1 inch handle bars, open end, pair. | 1305 |
| 315-402 | Endcaps for motogadget Alugrip m-Grip, CNC-milled, black anodized with MG logo, pair. | 275 |
| 315-405 | m-Grip Soft, rubber black, for 22 mm (7/8 inch) handle bars, open end, pair. | 275 |
| 315-406 | m-Grip Soft, rubber black, for 1 inch handle bars, open end, pair. | 275 |
| 361-794 | | 930 |
| 361-795 | | 930 |
| 361-796 | | 930 |
| 361-797 | | 930 |
| 361-798 | | 800 |
| 361-799 | | 800 |
| 361-800 | Digital speedometer motoscope mini, black, german ABE | 2145 |
| 361-801 | Digital speedometer motoscope mini, high-gloss polished, german ABE | 2145 |
| 361-803 | Analogue speedo motoscope tiny, 49mm, black, german ABE | 2335 |
| 361-804 | Analogue speedo motoscope tiny, 49mm, polished ring, German ABE | 2335 |
| 361-805 | Analogue speedo motoscope tiny speedster, 49mm, black ring, German ABE | 2335 |
| 361-806 | Analogue speedo motoscope tiny speedster, 49mm, polished ring, german ABE | 2335 |
| 361-807 | Motoscope pro Dashboard (please order 361-843 for mounting bracket), German ABE | 3455 |
| 361-808 | Analogue speedo mst vintage, 49mm, brass bezel, german ABE | 2715 |
| 361-809 | Chronoclassic speedo dark edition 0-200 km/h, dial and ring black, black LC display, German ABE | 4485 |
| 361-811 | motogadget msp Breakout Box A for controllamps | 405 |
| 361-812 | motogadget msp Breakout Box B for controllamps | 835 |
| 361-815 | The motosign mini is the indicator lights unit accompanying the motoscope mini. | 760 |
| 361-816 | The motosign mini is the indicator lights unit accompanying the motoscope mini. | 760 |
| 361-817 | Allows mounting the motoscope mini or motosign mini directly to the handlebar. | 555 |
| 361-818 | Allows mounting the motoscope mini or motosign mini directly to the handlebar. | 555 |

| | | |
|---------|--|------|
| 361-819 | Allows mounting the motoscope mini or motosign mini directly to the handlebar. | 555 |
| 361-820 | Allows mounting the motoscope mini or motosign mini directly to the handlebar. | 555 |
| 361-821 | msm combi frame with indicator lights, black | 855 |
| 361-822 | msm combi frame with indicator lights, polished | 855 |
| 361-823 | msm combi frame Handle Bar Clip-Kit 22mm, black | 590 |
| 361-824 | msm combi frame Handle Bar Clip-Kit 22mm, polished | 590 |
| 361-825 | msm combi frame Handle Bar Clip-Kit 1 inch, black | 590 |
| 361-826 | msm combi frame Handle Bar Clip-Kit 1 inch, polished | 590 |
| 361-827 | mst Streamline Cup 1 inch , black | 835 |
| 361-828 | mst Streamline Cup 1 inch , polished | 835 |
| 361-829 | Outer cup mst A is used for mounting of the tiny series speedometers. | 365 |
| 361-830 | m-Lock is a contact free digital ignition lock with RFID technology and substitutes mechanical ignition locks. | 1265 |
| 361-831 | mst Streamline Cup 22mm , black, for motoscope tiny | 835 |
| 361-832 | msm HD Handle Bar Top Clamp 1 inch, black | 1535 |
| 361-833 | msm HD Handle Bar Top Clamp 1 inch, polished | 1535 |
| 361-835 | mst Streamline Cup 22mm, polished | 835 |
| 361-836 | Cup msc A, polished | 385 |
| 361-837 | Mounting bracket msc A, polished | 245 |
| 361-839 | m-Lock, Key glass tube is a tiny glass tube used as an alternative key for the m-Lock RFID ignition lock. | 135 |
| 361-840 | msm holder C black | 245 |
| 361-843 | Mounting bracket msp A for the motoscope pro, black | 300 |
| 361-844 | Backcapacitor m-Lock | 135 |
| 361-845 | Digital brake light modulator m-stop | 395 |
| 361-846 | msm combi handle bar bolt-on-bracket 1 inch, black | 385 |
| 361-847 | msm combi handle bar bolt-on-bracket 1 inch, polished | 385 |
| 361-848 | msm combi handle bar bolt-on-bracket 22mm, black | 385 |
| 361-849 | msm combi handle bar bolt-on-bracket 22m, polished | 385 |
| 361-850 | Replacement magnet standard d. 5 mm x h. 2mm, 4pcs. | 75 |
| 361-851 | Speedosensor spare part kit M5 x 25 mm (Reedkontakt) | 225 |
| 361-852 | Ignition signal sensor | 330 |
| 361-853 | Button switch, black | 150 |
| 361-854 | Button switch, stainless steel | 150 |
| 361-855 | Button switch mini, stainless steel | 40 |

| | | |
|---------|--|------|
| 361-856 | Key teardrop m-Lock | 130 |
| 361-857 | Outer cup mst A for mounting of the tiny series speedometers, polished | 360 |
| 361-858 | mst vintage cup for mounting of the mst vintage on 1 inch handlebar, brass | 1115 |
| 361-859 | mst vintage cup for mounting of the mst vintage on 22 mm handlebar, brass | 1115 |
| 361-862 | msm metric handle bar top clamp 22mm for motoscope mini to be mounted on the triple clamps of superbikes, black | 1350 |
| 361-863 | msm metric handle bar top clamp 22mm for motoscope mini to be mounted on the triple clamps of superbikes, polished | 1350 |
| 361-864 | Mounting bracket msp A for mounting of all tiny series speedometers, black | 245 |
| 361-866 | Mounting bracket msp A for mounting of all tiny series speedometers, polished | 300 |
| 361-867 | Push button kit M12, black | 330 |
| 361-868 | mst groove cup 22mm for all tiny series analogue speedometers, black | 1115 |
| 361-870 | Motoscope classic 10 rev counter, 0-10.000 RPM, body black, black ring, with german ABE | 4485 |
| 361-872 | Chronoclassic speedometer 0-200 km/h or mph, black scale and body, green LCD, german ABE | 4485 |
| 361-873 | Chronoclassic rev counter 0-10.000 RPM, polished ring and body black, black LCD, german ABE | 4485 |
| 361-875 | Chronoclassic rev counter 0-10.000 RPM, black ring and body black, green LCD, german ABE | 4485 |
| 361-879 | Chronoclassic rev counter 0-10.000 RPM, polished ring and body black, green LCD, german ABE | 4485 |
| 361-880 | Push-button control m-switch, 2 buttons, f. 1 in. handle bar, polished/polished | 780 |
| 361-881 | Temperatursensor M10 x 1 (konisch) | 265 |
| 361-882 | Push-button control m-switch, 2 buttons f. 7/8 in. handle bar, black/black | 780 |
| 361-883 | Push-button control m-switch, 2 buttons f. 7/8 in. handle bar, black/stainless steel | 780 |
| 361-884 | Weld-in cup msm in stainless steel for facilitated embedding of the motoscope mini | 475 |
| 361-886 | Signalkonverter m-CAN for H-D | 650 |
| 361-887 | Push-button control m-switch, 2 buttons, f. 1 in. handle bar, black/black | 780 |
| 361-891 | m-Button a big help in combination with the m-Unit V.2 in reducing cable clutter and simplifying wiring harnesses. | 460 |
| 361-892 | m-Can J1850 XL Molex for the hassle-free connection of motogadget instruments. | 1305 |
| 361-893 | H-D Evo BigTwin Rockerbox bracket, black | 1230 |
| 361-894 | m-Unit Cable Kit a ready made set of cables to aid in the assembly of a wiring harness. | 555 |
| 361-895 | Push-button control m-switch, 3 buttons, f. 7/8 in. handle bar, black buttons /black housing | 930 |
| 361-896 | Push-button control m-switch, 3 buttons, f. 1 in. handle bar, black/black | 930 |
| 361-897 | Push-button control m-switch, 3 buttons, f. 7/8 in. handle bar, polished housing/black buttons | 930 |
| 361-898 | Push-button control m-switch, 3 button, f. 1 in. handle bar, housing polished/ buttons black | 930 |
| 361-899 | Push-button control m-switch, 2 buttons f. 7/8 in. handle bar, polished housing / buttons stainless steel | 780 |
| 361-900 | Push-button control m-switch, 3 buttons, f. 7/8 in. handle bar, polished housing / buttons stainless steel | 930 |
| 361-901 | msm combi welding bracket, made of stainless steel | 555 |

| | | |
|---------|--|------|
| 361-902 | Push-button control m-switch, 3 buttons, f. 7/8 in. handle bar, black housing / buttons stainless steel | 930 |
| 361-904 | Push-button control m-switch, 2 buttons, f. 1 in. handle bar, case black elox, Pins VA | 780 |
| 361-905 | m-CAN J1850 Signalkonv. for H-D Twin-Cam | 1305 |
| 361-906 | Cup msc A for mounting of the classic series speedometers, black | 400 |
| 361-907 | Chronoclassic rev counter 0-14.000 RPM, polished ring and body black, black LCD, german ABE | 4485 |
| 361-908 | temperature gauge M12 x 1,5 for water or oil temperature | 255 |
| 361-909 | Weld-in cup mst for the tiny series, stainless steel | 475 |
| 361-910 | motoscope classic rev counter, 0-14.000 RPM, body black, black ring, german ABE | 4485 |
| 361-911 | Signalkonverter m-CAN J1850 for H-D VRSC | 1305 |
| 361-912 | Oil pressure sensor M10 x 1 | 590 |
| 361-913 | Air temperature sensor standard | 200 |
| 361-914 | Chronoclassic rev counter 0-8000 RPM, dark edition, body and bezel black, dark LC display, german ABE certificate | 4485 |
| 361-915 | Air-Temperature-Sensor msp for ambient temperature measurement. | 195 |
| 361-916 | Breakout Box msp J1850 VRSC | 1350 |
| 361-917 | Push-button control m-switch mini, 3 buttons, f. 7/8 in. handle bar, black housing / buttons silver | 1210 |
| 361-918 | Push-button control m-switch mini, 3 buttons, f. 7/8 in. handle bar, polished housing / buttons silver | 1210 |
| 361-919 | Push-button control m-switch mini, 3 buttons, f. 1 in. handle bar, black housing / buttons silver | 1210 |
| 361-920 | Push-button control m-switch mini, 3 buttons, f. 1 in. handle bar, polished housing / buttons silver | 1210 |
| 361-921 | Push-button control m-switch, 3 buttons, f. 1 in. handle bar, housing polished/ buttons stainless steel | 930 |
| 361-922 | Mounting bracket msc A, black | 270 |
| 361-926 | Signal converter m-CAN J1850 XL DEUTSCH for H-D | 1305 |
| 361-927 | Push-button control m-switch, 2 buttons, f. 7/8 in. handle bar, polished housing / buttons black | 780 |
| 361-928 | Motoscope classic speedo, body black, black ring, homologated | 4485 |
| 361-929 | Motoscope Pro Dashboard (please order 361-930 for mounting bracket), german ABE | 4720 |
| 361-930 | Holder msp for motoscope pro BMW R9T | 555 |
| 361-931 | Motoscope classic rev counter, 0-10.000 RPM, body black, polished ring, german ABE | 4485 |
| 361-932 | Motoscope classic rev counter, 0-14.000 RPM, body black, polished ring, german ABE | 4485 |
| 361-933 | Motoscope classic rev counter, 0-8.000 RPM, body black, black ring, german ABE | 4485 |
| 361-934 | Motoscope classic 8 rev counter, 0-8.000 RPM, body black, polished ring, german ABE | 4485 |
| 361-935 | Chronoclassic rev counter 0-8000 RPM, dark edition, body black, polished ring, dark LC display, german ABE certificate | 4485 |
| 361-936 | Chronoclassic rev counter 0-10.000 RPM, black ring and body, black LCD, german ABE | 4485 |
| 361-937 | Chronoclassic rev counter 0-14.000 RPM, black ring and body, black LCD, german ABE | 4485 |
| 361-938 | Chronoclassic Speedo dark edition 0-200 km/h, dial black and ring polished, black LC display, german ABE | 4485 |

| | | |
|---------|---|------|
| 361-939 | Chronoclassic speedometer 0-200 km/h or mph, black body and polished ring, green LCD, german ABE | 4485 |
| 361-940 | Push-button control m-switch, 3 buttons, f. 1 in. handle bar, black / polished | 930 |
| 361-941 | Push-button control m-switch, 2 buttons, f. 1 in. handle bar, polished body, black buttons | 780 |
| 361-942 | Holder msc C designed for mounting all Classic series instruments, black | 270 |
| 361-943 | Motoscope classic speedo, body black, polished ring, homologated | 4485 |
| 361-944 | Chronoclassic rev counter 0-8000 RPM, body black and bezel polished, green LC display, german ABE certificate | 4485 |
| 361-947 | Breakout box msp J1850 for H-D TwinCam models | 1350 |
| 361-948 | Breakout box msp J1850 for H-D XL Sportster models | 1350 |
| 361-949 | Breakout box msp J1850 for H-D Sportster XL MOLEX models with digital bus system. | 1350 |
| 361-950 | Chronoclassic rev counter 0-8000 RPM, body black and bezel black, green LC display, german ABE certificate | 4485 |
| 361-951 | Chronoclassic rev counter 0-14.000 RPM, polished ring and body black, green LCD, german ABE | 4485 |
| 361-952 | Chronoclassic rev counter 0-14.000 RPM, black ring and body black, green LCD, german ABE | 4485 |
| 361-953 | Streamline Cup msc for 1 inch handle bars, polished | 1640 |
| 361-956 | H-D XL Rockerbox bracket, black, allows mounting the motoscope mini sideways | 1025 |
| 361-957 | H-D XL Rockerbox bracket, polished allows mounting the motoscope mini sideways | 1025 |
| 361-958 | H-D Twin Cam Rockerbox bracket, black allows mounting the motoscope mini sideways | 1245 |
| 361-959 | Holder msm C polished for mounting the motoscope mini with the motosign mini series indicator lights. | 275 |
| 361-960 | Holder msm A for mounting the motoscope mini, black | 245 |
| 361-961 | mst Groove Cup 1 Zoll for the mounting of all tiny series analogue speedometers, black | 1115 |
| 361-963 | Motogadget m.unit blue, digital control box featuring 12 inputs, 10 outputs and Bluetooth® controlling option | 3080 |
| 361-964 | m.unit basic | 2520 |
| 361-971 | speedometer sensor M8 x 30 mm (reed contact reinforced) | 425 |
| 361-974 | mo.view bar adapter, for mo.view bar end mirror, pair | 590 |
| 361-975 | mo.view bar clamp, for mo.view mounting mirror, pieces | 290 |
| 361-976 | Proximity sensor M5 (inductive), NPN, minus / ground signal | 340 |
| 361-978 | | 1685 |
| 361-979 | | 85 |
| 361-980 | | 590 |
| 361-981 | | 590 |